



**István Láng**

**Contact**

István Láng

## Publications (21)

Luen S, Viale G, Nik-Zainal S, Savas P, Kammler R, Dell'Orto P, Biasi O, Degasperi A, Brown L, Láng I, MacGrogan G, Tondini C, Bellet M, Villa F, Bernardo A, Ciruelos E, Karlsson P, Neven P, Climent M, Müller-Hübenthal B, Jochum W, Bonnefoi H, Martino S, Davidson N, Geyer C, Chia S, Ingle J, Coleman R, Solbach C, Thürlimann B, Colleoni M, Coates A, Goldhirsch A, Fleming G, Francis P, Speed T, Regan M, Loi S. Genomic characterisation of hormone receptor-positive breast cancer arising in very young women. *Ann Oncol* 2023; 34:397-409.

Chic N, Prat A, Huober J, Saura C, Di Cosimo S, Láng I, de Azambuja E, Wang Y, Hilbers F, Fumagalli D, Salgado R, Nuciforo P, Luen S, Loi S. Tumor Cellularity and Infiltrating Lymphocytes (CeTIL) as a Survival Surrogate in HER2-Positive Breast Cancer. *J Natl Cancer Inst* 2021

Leone J, Vaz-Luis I, Colleoni M, Di Leo A, Goldhirsch A, Wardley A, Bonnefoi H, Láng I, Neven P, Harvey V, Ejlertsen B, Gelber R, Giobbie-Hurder A, Rabaglio M, Coates A, Thürlimann B, Regan M, Cole B, Lin N. Clinical behavior of recurrent hormone receptor-positive breast cancer by adjuvant endocrine therapy within the Breast International Group 1-98 clinical trial. *Cancer* 2020

Rabaglio M, Thürlimann B, Colleoni M, Goldhirsch A, Gelber R, Coates A, Castiglione M, Ruepp B, Wardley A, Bonnefoi H, Láng I, Neven P, Harvey V, Ejlertsen B, Giobbie-Hurder A, Maibach R, Sun Z, Regan M. Cumulative incidence of cardiovascular events under tamoxifen and letrozole alone and in sequence: a report from the BIG 1-98 trial. *Breast Cancer Res Treat* 2020

Huober J, Hackman J, Dasappa L, Ciruelos E, Toral Pena J, Adamchuk H, Hickish T, de la Pena L, Jackisch C, Gelber R, Piccart-Gebhart M, Jouannaud C, Wildiers H, Lecocq C, Holmes E, Baselga J, de Azambuja E, Untch M, Fumagalli D, Sarp S, Láng I, Smith I, Boyle F, Xu B, Di Cosimo S. Survival outcomes of the NeoALTTO study (BIG 1-06): updated results of a randomised multicenter phase III neoadjuvant clinical trial in patients with HER2-positive primary breast cancer. *Eur J Cancer* 2019; 118:169-177.

Ruhstaller T, Simoncini E, Gianni L, Rochlitz C, Kralidis E, Zaman K, Jassem J, Piccart-Gebhart M, Di Leo A, Gelber R, Coates A, Goldhirsch A, Thürlimann B, Regan M, Veyret C, Del Mastro L, Giobbie-Hurder A, Colleoni M, Jensen M, Ejlertsen B, de Azambuja E, Neven P, Láng I, Jakobsen E, Gladieff L, Bonnefoi H, Harvey V, Spazzapan S, Tondini C, members of the BIG 1-98 Collaborative Group and the International Breast Cancer Study Group. Adjuvant Letrozole and Tamoxifen Alone or Sequentially for Postmenopausal Women With Hormone Receptor-Positive Breast Cancer: Long-Term Follow-Up of the BIG 1-98 Trial. *J Clin Oncol* 2018;JCO1800440.

Francis P, Pavesi L, Ruhstaller T, Davidson N, Coleman R, Debled M, Buchholz S, Ingle J, Winer E, Maibach R, Rabaglio-Poretti M, Ruepp B, Di Leo A, Coates A, Gelber R, Goldhirsch A, Regan M, Climent M, Spazzapan S, Puglisi F, Pagani O, Fleming G, Walley B, Colleoni M, Láng I, Gomez H, Tondini C, Ciruelos E, Burstein H, Bonnefoi H, Bellet M, Martino S, Geyer C, Goetz M, Stearns V, Pinotti G, SOFT and TEXT Investigators and the International Breast Cancer Study Group. Tailoring Adjuvant Endocrine Therapy for Premenopausal Breast Cancer. *N Engl J Med* 2018; 379:122-137.

Munzone E, Barberis M, Goldhirsch A, Regan M, Gelber R, Coates A, Di Leo A, Viale G, Kammler R, Gianni L, Ruhstaller T, Láng I, Guerini-Rocco E, Fumagalli C, Gray K, Colleoni M. Mutational analysis of triple-negative breast cancers within the International Breast Cancer Study Group (IBCSG) Trial 22-00. *Breast Cancer Res Treat* 2018; 170:351-360.

Wapnir I, Gelber S, Coates A, Gelber R, Rastogi P, Regan M, Wolmark N, Aebi S, International Breast Cancer Study Group, NRG Oncology, GEICAM Spanish Breast Cancer Group, BOOG Dutch Breast Cancer Trialists' Group, Geyer C, Mamounas E, Thürlimann B, Price K, Anderson S, Robidoux A, Martín M, Nortier J, Paterson A, Rimawi M, Láng I, Baena-Cañada J, Breast International Group. Efficacy of Chemotherapy for ER-Negative and ER-Positive Isolated Locoregional Recurrence of Breast Cancer: Final Analysis of the CALOR Trial. *J Clin Oncol* 2018; 36:1073-1079.

Borgquist S, Regan M, Gelber R, Price K, Rabaglio M, Goldhirsch A, Coates A, Smith I, von Moos R, Ejlertsen B, Debled M, Láng I, Colleoni M, Garber J, Ahern T, Giobbie-Hurder A, Thürlimann B. Cholesterol, Cholesterol-Lowering Medication Use, and Breast Cancer Outcome in the BIG 1-98 Study. *J Clin Oncol* 2017; 35:1179-1188.

Pruneri G, Regan M, Gelber R, Munzone E, Canello G, Price K, Kammler R, Goldhirsch A, Gianni L, Ruhstaller T, Láng I, Criscitiello C, Curigliano G, Viale G, Vingiani A, Gray K, Colleoni M. Tumor-infiltrating lymphocytes (TILs) are a powerful prognostic marker in patients with triple-negative breast cancer enrolled in the IBCSG phase III randomized clinical trial 22-00. *Breast Cancer Res Treat* 2016; 158:323-31.

Colleoni M, Eniu A, Cagossi K, Rauch D, Chirgwin J, Gelber R, Regan M, Coates A, Price K, Viale G, Kralidis E, Tondini C, Gray K, Gelber S, Láng I, Thürlimann B, Gianni L, Abdi E, Gomez H, Linderholm B, Puglisi F, Goldhirsch A. Low-Dose Oral Cyclophosphamide and Methotrexate Maintenance For Hormone Receptor-Negative Early Breast Cancer: International Breast Cancer Study Group Trial 22-00. *J Clin Oncol* 2016

Chirgwin J, Colleoni M, Láng I, Neven P, Forbes J, Rabaglio M, Smith I, Goldhirsch A, Gelber R, Debled M, Ejlertsen B, Price K, Coates A, Giobbie-Hurder A, Thürlimann B. Treatment Adherence and Its Impact on Disease-Free Survival in the Breast International Group 1-98 Trial of Tamoxifen and Letrozole, Alone and in Sequence. *J Clin Oncol* 2016; 34:2452-9.

Pagani O, Winer E, Rabaglio-Poretti M, Maibach R, Ruepp B, Giobbie-Hurder A, Price K, Bernhard J, Luo W, Ribi K, Viale G, Coates A, Gelber R, Goldhirsch A, Francis P, TEXT and SOFT Investigators, Ruhstaller T, Crivellari D, Puglisi F, Regan M, Walley B, Fleming G, Colleoni M, Láng I, Gomez H, Tondini C, Burstein H, Perez E, Ciruelos E, Stearns V, Bonnefoi H, Martino S, Geyer C, Pinotti G, International Breast Cancer Study Group. Adjuvant exemestane with ovarian suppression in premenopausal breast cancer. *N Engl J Med* 2014; 371:107-18.

Aebi S, Mamounas E, Geyer C, Price K, Coates A, Gelber R, Rastogi P, Wolmark N, Wapnir I, Murray E, Thürlimann B, Cañada J, Gelber S, Anderson S, Láng I, Robidoux A, Martín M, Nortier J, Paterson A, Rimawi M, CALOR investigators. Chemotherapy for isolated locoregional recurrence of breast cancer (CALOR): a randomised trial. *Lancet Oncol* 2014; 15:156-63.

Anghel R, Bachmann A, Beksac M, Brodowicz T, Finek J, Komadina R, Krzemieniecki K, Láng I, Marencak J, von Moos R, Pecherstorfer M, Rordorf T, Vrbanec D, Zielinski C. Expert opinion 2011 on the use of new anti-resorptive agents in the prevention of skeletal-related events in metastatic bone disease. *Wien Klin Wochenschr* 2013; 125:439-47.

Ewertz M, Goldhirsch A, Coates A, Smith I, Láng I, Colleoni M, Gelber R, Rabaglio M, Paridaens R, Forbes J, Bonnefoi H, Thürlimann B, Price K, Ejlertsen B, Regan M, Gray K, Mouridsen H. Obesity and risk of recurrence or death after adjuvant endocrine therapy with letrozole or tamoxifen in the breast international group 1-98 trial. *J Clin Oncol* 2012; 30:3967-75.

Regan M, BIG 1-98 Collaborative Group, Thürlimann B, Coates A, Gelber R, Price K, Rabaglio M, Wardley A, Láng I, Smith I, Forbes J, Mauriac L, Ejlertsen B, Goldhirsch A, Giobbie-Hurder A, Neven P, International Breast Cancer Study Group (IBCSG). Assessment of letrozole and tamoxifen alone and in sequence for postmenopausal women with steroid hormone receptor-positive breast cancer: the BIG 1-98 randomised clinical trial at 8.1 years median follow-up. *Lancet Oncol* 2011; 12:1101-8.

Colleoni M, Coates A, Gelber R, Price K, Wardley A, Pienkowski T, Chirgwin J, Smith I, Láng I, Paridaens R, Forbes J, Mauriac L, Mouridsen H, Thürlimann B, Regan M, Giobbie-Hurder A, Goldhirsch A. Analyses adjusting for selective crossover show improved overall survival with adjuvant letrozole compared with tamoxifen in the BIG 1-98 study. *J Clin Oncol* 2011; 29:1117-24.

Crivellari D, Chirgwin J, Smith I, Rabaglio M, Gladieff L, Del Mastro L, Láng I, Colleoni M, Gelber R, Castiglione-Gertsch M, Paridaens R, Forbes J, Mauriac L, Mouridsen H, Thürlimann B, Price K, Coates A, Sun Z, Goldhirsch A. Letrozole compared with tamoxifen for elderly patients with endocrine-responsive early breast cancer: the BIG 1-98 trial. *JCO* 2008; 26:1972-9.

Coates A, Del Mastro L, Smith I, Chirgwin J, Nogaret J, Pienkowski T, Wardley A, Jakobsen E, Price K, Láng I, Colleoni M, Keshaviah A, Thürlimann B, Mouridsen H, Mauriac L, Forbes J, Paridaens R, Castiglione-Gertsch M, Gelber R, Goldhirsch A. Five years of letrozole compared with tamoxifen as initial adjuvant therapy for postmenopausal women with endocrine-responsive early breast cancer: update of study BIG 1-98. *JCO* 2007; 25:486-92.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)