



R Graffeo

Contact

R Graffeo

Publications (4)

Pagani O, Longhi S, Ruggeri M, Graffeo R, Hess D, Thürlimann B, Lombardi D, Crivellari D, Munzone E, Nolé F, Sessa C, Goldhirsch A. Dose-finding study of weekly docetaxel, anthracyclines plus fluoropyrimidines as first-line treatment in advanced breast cancer. *Ann Oncol* 2005; 16:1609-17.

Crivellari D, Goldhirsch A, Sessa C, Graffeo R, Martinelli G, Bauer J, Borner M, Hess D, Thürlimann B, Nolé F, Lombardi D, Veronesi A, Pagani O, International Breast Cancer Study Group. High incidence of central nervous system involvement in patients with metastatic or locally advanced breast cancer treated with epirubicin and docetaxel. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2001; 12:353-6.

Pagani O, D'Incalci M, Zucchetti M, Graffeo R, Martinelli G, Bauer J, Borner M, Hess D, Thürlimann B, Lombardi D, Crivellari D, Nolé F, Sessa C, Goldhirsch A. Epidoxorubicin and docetaxel as first-line chemotherapy in patients with advanced breast cancer: a multicentric phase I-II study. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2000; 11:985-91.

Pagani O, Riva A, Graffeo R, Zimatore M, Zampino G, Bauer J, Borner M, Hess D, Thürlimann B, Buonadonna A, Crivellari D, Martinelli G, Sessa C, Goldhirsch A. Dose-finding study of epidoxorubicin and docetaxel as first-line chemotherapy in patients with advanced breast cancer. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 1999; 10:539-45.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch