



**F Cavalli**

**Contact**

F Cavalli

## Publications (10)

Jörger M, Huitema A, Krähenbühl S, Schellens J, Cerny T, Reni M, Zucca E, Cavalli F, Ferreri A. Methotrexate area under the curve is an important outcome predictor in patients with primary CNS lymphoma: A pharmacokinetic-pharmacodynamic analysis from the IELSG no. 20 trial. *Br J Cancer* 2010; 102:673-7.

Colleoni M, Senn H, Cavalli F, Forbes J, Gudgeon A, Simoncini E, Cortes-Funes H, Veronesi A, Fey M, Collins J, Lindtner J, O'Neill A, Goldhirsch A, Gelber R, Bonetti M, Thürlimann B, Price K, Castiglione-Gertsch M, Coates A, Rudenstam C. Identifying breast cancer patients at high risk for bone metastases. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2000; 18:3925-35.

Crivellari D, Senn H, Cavalli F, Forbes J, Gudgeon A, Simoncini E, Cortes-Funes H, Veronesi A, Fey M, Collins J, Lindtner J, Bernhard J, Bonetti M, Castiglione-Gertsch M, Gelber R, Rudenstam C, Thürlimann B, Price K, Coates A, Hürny C, Goldhirsch A. Burdens and benefits of adjuvant cyclophosphamide, methotrexate, and fluorouracil and tamoxifen for elderly patients with breast cancer: the International Breast Cancer Study Group Trial VII. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2000; 18:1412-22.

Bernhard J, Goldhirsch A, Bonnefoi H, Fey M, Morant R, Cavalli F, Castiglione-Gertsch M, Schmitz S, Thürlimann B, Hürny C. Defining clinical benefit in postmenopausal patients with breast cancer under second-line endocrine treatment: does quality of life matter?. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 1999; 17:1672-9.

Bernhard J, Goldhirsch A, Bonnefoi H, Fey M, Morant R, Cavalli F, Thürlimann B, Schmitz S, Castiglione-Gertsch M, Hürny C. Quality of life in postmenopausal patients with breast cancer after failure of tamoxifen: formestane versus megestrol acetate as second-line hormonal treatment. *Swiss Group for Clinical Cancer Research (SAKK). European journal of cancer (Oxford, England : 1990)* 1999; 35:913-20.

Pagani O, Price K, Fey M, Simoncini E, Thürlimann B, Cavalli F, Coates A, Crivellari D, Collins J, Lindtner J, Rudenstam C, Goldhirsch A, Gelber R, Castiglione M, O'Neill A, Senn H. Prognostic impact of amenorrhoea after adjuvant chemotherapy in premenopausal breast cancer patients with axillary node involvement: results of the International Breast Cancer Study Group (IBCSG) Trial VI. *European journal of cancer (Oxford, England : 1990)* 1998; 34:632-40.

Goldhirsch A, Price K, Pagani O, Fey M, Simoncini E, Cavalli F, Coates A, Crivellari D, Forbes J, Collins J, Lindtner J, Rudenstam C, Thürlimann B, O'Neill A, Castiglione M, Gelber R, Senn H. Menstrual cycle and timing of breast surgery in premenopausal node-positive breast cancer: results of the International Breast Cancer Study Group (IBCSG) Trial VI. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 1997; 8:751-6.

Thürlimann B, Castiglione M, Hsu-Schmitz S, Cavalli F, Bonnefoi H, Fey M, Morant R, Löhnert T, Goldhirsch A. Formestane versus megestrol acetate in postmenopausal breast cancer patients after failure of tamoxifen: a phase III prospective randomised cross over trial of second-line hormonal treatment (SAKK 20/90). *Swiss Group for Clinical Cancer Research (SAKK). European journal of cancer (Oxford, England : 1990)* 1997; 33:1017-24.

Thürlimann B, Fey M, Senn H, Cavalli F, Jungi W, Goldhirsch A, Castiglione-Gertsch M, Bacchi M, Beretta K, Löhnert T. First-line fadrozole HCl (CGS 16949A) versus tamoxifen in postmenopausal women with advanced breast cancer. Prospective randomised trial of the Swiss Group for Clinical Cancer Research SAKK 20/88. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 1996; 7:471-9.

Borner M, Cavalli F, Thürlimann B, Jungi W, Castiglione M, Harder F, Greiner R, Goldhirsch A, Bacchi M, Obrecht J. First isolated locoregional recurrence following mastectomy for breast cancer: results of a phase III multicenter study comparing systemic treatment with observation after excision and radiation. *Swiss Group for Clinical Cancer Research. J Clin Oncol* 1994; 12:2071-7.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)