



**F Tanzi**

**Contact**

F Tanzi

## Publications (4)

Krieg M, Burckhardt P, Wimpfheimer K, Tyndall A, Theiler R, Tanzi F, Rizzoli R, Pancaldi P, Neff M, Lippuner K, Kraenzlin M, Häuselmann H, Hartl F, Dambacher M, Büche D, Cornuz J, SEMOF research group. Comparison of two heel bone ultrasounds for determining hip fracture risk in 7062 elderly swiss women: the SEMOF study. JAMA 2004

Cornuz J, Wimpfheimer C, Tyndall A, Theiler R, Tanzi F, Rizzoli R, Pancaldi P, Neff M, Lippuner K, Häuselmann H, Hartl F, Dambacher M, Büche D, Burckhardt P, van Melle G, Ruffieux C, Sandini L, Krieg M, SEMOF research group. Factors associated with the use of hormone replacement therapy among older women. Age and ageing 2003; 32:675-8.

Krieg M, Wimpfheimer K, Tyndall A, Theiler R, Tanzi F, Rizzoli R, Pancaldi P, Neff M, Lippuner K, Kraenzlin M, Häuselmann H, Hartl F, Dambacher M, Büche D, Sandini L, Ruffieux C, Cornuz J, Burckhardt P. Comparison of three bone ultrasounds for the discrimination of subjects with and without osteoporotic fractures among 7562 elderly women. Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research 2003; 18:1261-6.

Krieg M, Wimpfheimer K, Tanzi F, Pancaldi P, Neff M, Dambacher M, Theiler R, Büche D, Rizzoli R, Lippuner K, Häuselmann H, Tyndall A, Kraenzlin M, Hartl F, Cornuz J, Burckhardt P. Quality controls for two heel bone ultrasounds used in the Swiss Evaluation of the Methods of Measurement of Osteoporotic Fracture Risk Study. Journal of clinical densitometry : the official journal of the International Society for Clinical Densitometry 2002; 5:335-41.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)