



Volkmar Falk

Contact

Volkmar Falk

Publications (18)

Erbel R, Manolis A, Meijboom F, Nienaber C, Roffi M, Rousseau H, Sechtem U, Sirnes P, von Allmen R, Vrints C, lung B, Haverich A, Grabenwöger M, Aboyans V, Boileau C, Bossone E, Bartolomeo R, Eggebrecht H, Evangelista A, Falk V, Frank H, Gaemperli O, ESC Committee for Practice Guidelines. 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases: Document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult. The Task Force for the Diagnosis and Treatment of Aortic Diseases of the European Society of Cardiology (ESC). *Eur Heart J* 2014; 35:2873–926.

Erbel R, lung B, Manolis A, Meijboom F, Nienaber C, Roffi M, Rousseau H, Sechtem U, Sirnes P, von Allmen R, Haverich A, Grabenwöger M, Aboyans V, Boileau C, Bossone E, Di Bartolomeo R, Eggebrecht H, Evangelista A, Falk V, Frank H, Gaemperli O, Vrints C. [2014 ESC Guidelines on the diagnosis and treatment of aortic diseases]. *Kardiol Pol* 2014; 72:1169–252.

Morsbach F, Desbiolles L, Plass A, Leschka S, Schmidt B, Falk V, Alkadhi H, Stolzmann P. Stenosis quantification in coronary CT angiography: impact of an integrated circuit detector with iterative reconstruction. *Invest Radiol* 2013; 48:32–40.

Kelm J, Zünd G, Falk V, Jenni R, Odermatt B, Leschka S, Frauenfelder T, Brokopp C, Weber B, Rudolph K, Begus Nahrman Y, Schmidt D, Zürcher A, Emmert M, Hoerstrup S. Functionality, growth and accelerated aging of tissue engineered living autologous vascular grafts. *Biomaterials* 2012; 33:8277–85.

Ehl N, Rickli H, Jörg L, Falk V, Weilenmann D, Epp C, Thies S, Geyer R, Sündermann S, Maeder M. Constrictive pericarditis presenting as a large mediastinal mass causing functional tricuspid and pulmonary stenosis. *Circulation* 2011; 124:e487–91.

Feuchtner G, Leschka S, Alkadhi H, Falk V, Schnabl J, Donati O, Stolzmann P, Wyss C, Scheffel H, Wieser M, Plass A, Goetti R, Cury R. Adenosine stress high-pitch 128-slice dual-source myocardial computed tomography perfusion for imaging of reversible myocardial ischemia: comparison with magnetic resonance imaging. *Circ Cardiovasc Imaging* 2011; 4:540–9.

Donati O, Leschka S, Falk V, Kozerke S, Plass A, Azemaj N, Wyss C, Hennemuth A, Kuehnel C, Scheffel H, Alkadhi H, Stolzmann P. 3D fusion of functional cardiac magnetic resonance imaging and computed tomography coronary angiography: accuracy and added clinical value. *Invest Radiol* 2011; 46:331–40.

Baumüller S, Desbiolles L, Scheffel H, Feuchtner G, Falk V, Plass A, Schertler T, Goetti R, Frauenfelder T, Stolzmann P, Alkadhi H, Leschka S. Computed tomography of the lung in the high-pitch mode: is breath holding still required?. *Invest Radiol* 2011; 46:240–5.

Stolzmann P, Alkadhi H, Scheffel H, Plass A, Leschka S, Falk V, Kozerke S, Wyss C, Donati O. Combining cardiac magnetic resonance and computed tomography coronary calcium scoring: added value for the assessment of morphological coronary disease?. *Int J Cardiovasc Imaging* 2010

Donati O, Alkadhi H, Marincek B, Falk V, Wyss C, Plass A, Kozerke S, Leschka S, Desbiolles L, Stolzmann P, Scheffel H. Coronary artery disease: Which degree of coronary artery stenosis is indicative of ischemia?. *Eur J Radiol* 2010

Karlo C, Alkadhi H, Marincek B, Falk V, Plass A, Stolzmann P, Desbiolles L, Feuchtner G, Goetti R, Leschka S, Baumüller S. High-pitch dual-source CT angiography of the aortic valve–aortic root complex without ECG-synchronization. *Eur Radiol* 2010; 21:205–12.

Alkadhi H, Marincek B, Falk V, Feuchtner G, Scheffel H, Plass A, Goetti R, Baumüller S, Desbiolles L, Stolzmann P, Leschka S. Low-dose, 128-slice, dual-source CT coronary angiography: accuracy and radiation dose of the high-pitch and the step-and-shoot mode. *Heart* 2010; 96:933-8.

Goetti R, Alkadhi H, Marincek B, Falk V, Stolzmann P, Desbiolles L, Wieser M, Plass A, Baumüller S, Leschka S, Feuchtner G. Low dose high-pitch spiral acquisition 128-slice dual-source computed tomography for the evaluation of coronary artery bypass graft patency. *Invest Radiol* 2010; 45:324-30.

Scheffel H, Marincek B, Wyss C, Boesiger P, Falk V, Kozerke S, Leschka S, Desbiolles L, Baumüller S, Plass A, Azemaj N, Alkadhi H, Stolzmann P, Donati O. Low-dose CT and cardiac MR for the diagnosis of coronary artery disease: accuracy of single and combined approaches. *Int J Cardiovasc Imaging* 2010; 26:579-90.

Scheffel H, Stolzmann P, Plass A, Leschka S, Grünenfelder J, Falk V, Marincek B, Alkadhi H. Coronary artery disease in patients with cardiac tumors: preoperative assessment by computed tomography coronary angiography. *Interact Cardiovasc Thorac Surg* 2010; 10:513-8.

Stolzmann P, Alkadhi H, Marincek B, Feuchtner G, Scheffel H, Falk V, Plass A, Baumüller S, Goetti R, Leschka S. Prospective and retrospective ECG-gating for CT coronary angiography perform similarly accurate at low heart rates. 2010

Leschka S, Marincek B, Feuchtner G, Falk V, Plass A, Scheffel H, Schertler T, Goetti R, Baumüller S, Desbiolles L, Stolzmann P, Alkadhi H. Diagnostic accuracy of high-pitch dual-source CT for the assessment of coronary stenoses: first experience. *Eur Radiol* 2009; 19:2896-903.

Plass A, Azemaj N, Scheffel H, Desbiolles L, Alkadhi H, Genoni M, Falk V, Grünenfelder J. Accuracy of dual-source computed tomography coronary angiography: evaluation with a standardised protocol for cardiac surgeons. *Eur J Cardiothorac Surg*. 2009; 36:1011-7.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch