



## Ph.D. Ulrich Beutner

scientist (post doc)

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie · Dept. II

### Contact

Ph.D. Ulrich Beutner  
Rorschacherstrasse 95  
9007 St. Gallen  
Switzerland

T +41 71 494 1328  
Ulrich.Beutner@kssg.ch

### Orcid

0000-0001-5209-2793

### Units

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie

### Profile Function

scientist (post doc)

## Publications (32)

Abbassi F, Müller S, Steffen T, Schmied B, Warschkow R, Beutner U, Tarantino I. Caffeine for intestinal transit after laparoscopic colectomy: randomized clinical trial (CaCo trial). *Br J Surg* 2022; 109:1216–1223.

Widmann B, Almarie B, Warschkow R, Beutner U, Weitzendorfer M, Schmid M, Ukegjini K, Brunner W. Advanced Lymph Node Staging with Ex Vivo Intraarterial Indigo Carmine Injection after Transanal Total Mesorectal Excision for Rectal Cancer: A Retrospective Cohort Study. *Dis Colon Rectum* 2021; 65:1015–1024.

Ammann Y, Beutner U, Vital D, Morand G, Broglie Daeppen M, Born D, Stöckli S, Huber G. Impact of the new TNM Staging System (8th edition) on oral tongue cancers. *Swiss Med Wkly* 2021; 151:w20493.

Widmann B, Warschkow R, Beutner U, Weitzendorfer M, Ukegjini K, Schmied B, Tarantino I, Steffen T. Effect of lymphadenectomy in curative gallbladder cancer treatment: a systematic review and meta-analysis. *Langenbecks Arch Surg* 2020

Barski D, Gerullis H, Ecke T, Boros M, Brune J, Beutner U, Tsaur I, Ramon A, Otto T. Application of Dried Human Amnion Graft to Improve Post-Prostatectomy Incontinence and Potency: A Randomized Exploration Study Protocol. *Adv Ther* 2019; 37:592–602.

Widmann B, Galata C, Warschkow R, Beutner U, Ögredici Ö, Hetzer F, Schmied B, Post S, Marti L. Success and Complication Rates After Sacral Neuromodulation for Fecal Incontinence and Constipation: A Single-center Follow-up Study. *J Neurogastroenterol Motil* 2019; 25:159–170.

Wilhelm A, Galata C, Beutner U, Schmied B, Warschkow R, Steffen T, Brunner W, Post S, Marti L. Duodenal localization is a negative predictor of survival after small bowel adenocarcinoma resection: A population-based, propensity score-matched analysis. *J Surg Oncol* 2017

Fleischmann I, Warschkow R, Beutner U, Marti L, Schmied B, Steffen T. Improved survival after retrieval of 12 or more regional lymph nodes in appendiceal cancer. *Eur J Surg Oncol* 2017; 43:1876–1885.

Marti L, Sulz M, Brunner W, Borovicka J, Wolff K, Pipitone N, Hetzer F, Beutner U, Galata C, Maurus C. Percutaneous tibial nerve stimulation (pTNS): success rate and the role of rectal capacity. *Int J Colorectal Dis* 2017; 32:789–796.

Warschkow R, Widmann B, Beutner U, Marti L, Steffen T, Schiesser M, Schmied B. The More the Better—Lower Rate of Stage Migration and Better Survival in Patients With Retrieval of 20 or More Regional Lymph Nodes in Pancreatic Cancer: A Population-Based Propensity Score Matched and Trend SEER Analysis. *Pancreas* 2017; 46:648–657.

Kruse C, Tarantino I, Schmied B, Sulz M, Marti L, Brunner W, Luethi C, Warschkow R, Mueller S, Beutner U. Does caffeine reduce postoperative bowel paralysis after elective laparoscopic colectomy? (CaCo trial): study protocol for a randomized controlled trial. *Trials* 2016; 17:186.

Wilhelm A, Mueller S, Steffen T, Schmied B, Beutner U, Warschkow R. Patients with Adenocarcinoma of the Small Intestine with 9 or More Regional Lymph Nodes Retrieved Have a Higher Rate of Positive Lymph Nodes and Improved Survival. *J Gastrointest Surg* 2015

Tarantino I, Warschkow R, Beutner U, Kolb W, Lüthi A, Luethi C, Schmied B, Clerici T. Efficacy of a Single Preoperative Dexamethasone Dose to Prevent Nausea and Vomiting After Thyroidectomy (the tPONV Study): A Randomized, Double-blind, Placebo-controlled Clinical Trial. *Ann Surg* 2015; 262:934–940.

Janczak J, Beutner U, Hasler K. Body packing: from seizures to laparotomy. *Case Rep Emerg Med* 2015; 2015:208047.

Adamina M, Steffen T, Tarantino I, Beutner U, Schmied B, Warschkow R. Meta-analysis of the predictive value of C-reactive protein for infectious complications in abdominal surgery. *Br J Surg* 2015; 102:590-8.

Beutner U, Schmied B, Büchler M, Wente M, Pahernik S, Tarantino I, Luethi C, Bork U, Leowardi C, Mueller S. Survival after renal cell carcinoma metastasis to the thyroid: single center experience and systematic review of the literature. *Thyroid* 2015; 25:314-24.

Mueller S, Warschkow R, Beutner U, Luethi C, Ukegjini K, Schmied B, Tarantino I. Use of human fibrin glue (Tisseel) versus staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty (TISTA): a randomized controlled trial (NCT01641718). *BMC Surg* 2014; 14:18.

Beutner U, Triponez F, Defechereux T, Clerici T. Literatur und Evidenz in der endokrinen Chirurgie. In: *Endokrine Chirurgie: Evidenz und Erfahrung - Individualisierte Medizin in der klinischen Praxis*. 1Stuttgart: Schattauer, 2014. ISBN 978-3794529209. pp. 4-18.

Tarantino I, Beutner U, Kolb W, Mueller S, Luethi C, Lüthi A, Schmied B, Clerici T, Warschkow R. Study protocol for a randomized, double-blind, placebo-controlled trial of a single preoperative steroid dose to prevent nausea and vomiting after thyroidectomy: the tPONV study. *BMC Anesthesiol* 2013; 13:19.

Mueller S, Tarantino I, Corazza M, Pianka F, Fornaro J, Beutner U, Luethi C, Schmied B. A rapid and accurate new bedside test to assess maximal liver function: a case report. *Patient Saf Surg* 2013; 7:11.

Warschkow R, Tarantino I, Ukegjini K, Beutner U, Gueller U, Schmied B, Mueller S, Schultes B, Thurnheer M. Concomitant cholecystectomy during laparoscopic Roux-en-Y gastric bypass in obese patients is not justified: a meta-analysis. *Obes Surg* 2013; 23:397-407.

Linke G, Luz S, Janczak J, Zerz A, Schmied B, Siercks I, Warschkow R, Beutner U, Tarantino I. Evaluation of sexual function in sexually active women 1 year after transvaginal NOTES: a prospective cohort study of 106 patients. *Langenbecks Arch Surg* 2012; 398:139-45.

Warschkow R, Beutner U, Steffen T, Mueller S, Schmied B, Gueller U, Tarantino I. Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients. *Ann Surg* 2012; 256:245-50.

Warschkow R, Tarantino I, Folie P, Beutner U, Schmied B, Bisang P, Schultes B, Thurnheer M. C-reactive protein 2 days after laparoscopic gastric bypass surgery reliably indicates leaks and moderately predicts morbidity. *J Gastrointest Surg* 2012; 16:1128-35.

Warschkow R, Tarantino I, Ukegjini K, Beutner U, Mueller S, Schmied B, Steffen T. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after gastroesophageal cancer surgery. *Langenbecks Arch Surg* 2012; 397:727-36.

Warschkow R, Steffen T, Beutner U, Mueller S, Schmied B, Tarantino I. Diagnostic accuracy of C-reactive protein and white blood cell counts in the early detection of inflammatory complications after open resection of colorectal cancer: a retrospective study of 1,187 patients. *Int J Colorectal Dis* 2011; 27:1377.

Warschkow R, Tarantino I, Jensen K, Beutner U, Clerici T, Schmied B, Steffen T. Bilateral superficial cervical plexus block in combination with general anesthesia has a low efficacy in thyroid surgery: a meta-analysis of randomized controlled trials. *Thyroid* 2011; 22:44-52.

Warschkow R, Steffen T, Lüthi A, Filipovic M, Beutner U, Schmied B, Müller S, Tarantino I. Epidural analgesia in open resection of colorectal cancer: is there a clinical benefit? a retrospective study on 1,470 patients. *J Gastrointest Surg* 2011; 15:1386-93.

Wolff K, Marti L, Beutner U, Steffen T, Lange J, Hetzer F. Functional outcome and quality of life after stapled transanal rectal resection for obstructed defecation syndrome. *Dis Colon Rectum* 2010; 53:881-8.

Clerici T, Kolb W, Beutner U, Bareck E, Dotzenrath C, Kull C, Niederle B, German Association of Endocrine Surgeons. Diagnosis and treatment of small follicular thyroid carcinomas. *Br J Surg* 2010; 97:839-44.

Hetzer F, Roushan A, Wolff K, Beutner U, Borovicka J, Lange J, Marti L. Functional outcome after perineal stapled prolapse resection for external rectal prolapse. *BMC Surg* 2010; 10:9.

Hausammann R, Steffen T, Weishaupt D, Beutner U, Hetzer F. Rectocele and intussusception: is there any coherence in symptoms or additional pelvic floor disorders?. *Techniques in coloproctology* 2009; 13:17-25; discussion 25-6.

## Projects (9)

### **Evaluation of InterStim Micro System Performance and Safety (ELITE) to Confirm Long-Term Outcomes**

*Clinical Studies - Oct 1, 2020 - Sep 22, 2022*

*Aborted*

### **Randomisierte klinische Studie zum Vergleich der Vollständigkeit der adjuvanten Chemotherapie nach früher vs. später Stomarückverlagerung bei Patienten mit Rektumkarzinom nach tiefer anteriorer Resektion**

*Clinical Studies - Sep 24, 2018 - Nov 30, 2020*

*Completed*

### **VOYAGER PAD: An international, multicenter, randomized, double-blind, placebocontrolled**

*Clinical Studies - May 15, 2016 - Jan 15, 2019*

*Automatically Closed*

### **CaCo: Does caffeine intake reduce postoperative bowel paralysis after elective laparoscopic colectomy? - A randomized placebo controlled trial**

*Clinical Studies - Aug 1, 2015 - Jul 31, 2022*

*Automatically Closed*

### **TISTA: Use of human fibrin glue (Tisseel) versus Staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty**

*Clinical Studies - Aug 1, 2012 - Dec 31, 2015*

*Completed*

### **HAILO: Hämorrhoiden-Arterienligatur und rektoanaler Repair (HAL/RAR) versus Stapler-Hämorrhoidopexie**

*Clinical Studies - May 1, 2011 - Dec 1, 2020*

*Automatically Closed*

### **tPONV: Randomized Controlled trial of preoperative single-dose steroid application for the treatment of nausea and vomiting after thyroid surgery**

*Clinical Studies - Oct 1, 2010 - Jul 1, 2013*

*Completed*

### **SNM/PNS: Vergleich von Sakraler Nervenmodulation und Pudendus Nerv Stimulation zur Therapie der Stuhlinkontinenz**

*Clinical Studies - Feb 1, 2010 - Dec 31, 2014*

*Completed*

### **pTNS: Perkutane tibiale Nervenstimulation zur Behandlung der Dranginkontinenz für Stuhl**

*Clinical Studies - Feb 1, 2010 - Dec 31, 2017*

*Automatically Closed*

---

Kantonsspital St.Gallen  
Rorschacher Strasse 95  
CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)