



**S Paepke**

**Contact**

S Paepke

## Publications (4)

von Minckwitz G, Jackisch C, Kümmel S, Fasching P, Schneeweiss A, Paepke S, Untch M, Burchardi N, Mehta K, Loibl S, Hanusch C, Denkert C, Rezai M, Tesch H, Huober J, Gerber B, Zahm D, Hilfrich J, Costa S, Dubsy P, Blohmer J, German Breast Group and Austrian Breast and Colon Cancer Study Group Investigators. Zoledronate for patients with invasive residual disease after anthracyclines-taxane-based chemotherapy for early breast cancer - The Phase III NeoAdjuvant Trial Add-oN (NaTaN) study (GBG 36/ABCSG 29). *Eur J Cancer* 2016; 64:12-21.

von Minckwitz G, Costa S, Jackisch C, Paepke S, Schneeweiss A, Kümmel S, Denkert C, Mehta K, Loibl S, Blohmer J, Hanusch C, Rezai M, Fasching P, Huober J, Tesch H, Bauerfeind I, Hilfrich J, Eidtmann H, Gerber B, Untch M. Survival after adding capecitabine and trastuzumab to neoadjuvant anthracycline-taxane-based chemotherapy for primary breast cancer (GBG 40--GeparQuattro). *Ann Oncol* 2013; 25:81-9.

Huober J, Nimmrich I, May C, Beckmann M, Baumgärtner A, Kubista E, Ragosch V, Azim H, Paepke S, Reimer T, Thomssen C, Wallwiener D, Petruzelka L, Barsoum M, Fasching P, Harbeck N. Higher efficacy of letrozole in combination with trastuzumab compared to letrozole monotherapy as first-line treatment in patients with HER2-positive, hormone-receptor-positive metastatic breast cancer - results of the eLEcTRA trial. *Breast* 2011; 21:27-33.

Paepke S, Eiermann W, Wolf C, Huober J, Warm M, Blohmer J, Diedrich F, Fischer T, Pildner v Steinburg S, Schwarz-Böger U, Jacobs V, Harbeck N, Kiechle M. Überblick über die neoadjuvante endokrine Therapie des rezeptorpositiven Mammakarzinoms der postmenopausalen Frau. *Geburtsh Frauenheilk* 2004; 64:1290-1298.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)