



Frank Stenner-Liewen

Contact

Frank Stenner-Liewen

Publications (8)

Goede J, Baumann C, Cathomas R, Khanna N, Lambert J, Lehmann T, Mey U, Seebach J, Steiner U, Tschan-Plessl A, Stenner-Liewen F. Rational use of immunoglobulins (IVIGs and SCLGs) in secondary antibody deficiencies. *Swiss Med Wkly* 2024; 154:3559.

Neubauer M, Nicolas G, Bauman A, Fani M, Nitzsche E, Afshar-Oromieh A, Forrer F, Rentsch C, Stenner-Liewen F, Templeton A, Schäfer N, Wild D, Chirindel A, all investigators on behalf of the SSNM Therapy Working Group. Early response monitoring during [Lu]Lu-PSMA I&T therapy with quantitated SPECT/CT predicts overall survival of mCRPC patients: subgroup analysis of a Swiss-wide prospective registry study. *Eur J Nucl Med Mol Imaging* 2023

Templeton A, Omlin A, Berthold D, Beyer J, Burger I, Eberli D, Engeler D, Fankhauser C, Fischer S, Gillessen S, Nicolas G, Kroeze S, Lorch A, Müntener M, Papachristofilou A, Schäfer N, Seiler D, Stenner-Liewen F, Tsantoulis P, Vlajnic T, Zilli T, Zwahlen D, Cathomas R. Interdisciplinary Swiss consensus recommendations on staging and treatment of advanced prostate cancer. *Swiss Med Wkly* 2023; 153:40108.

Samaras P, Renner C, Stahel R, Knuth A, Taverna C, Schäfer N, Mischo A, Schanz U, Siciliano R, Honegger H, Haile S, Buset E, Petrausch U, Zardavas D, Stenner-Liewen F. Prognostic factors for survival in lymphoma patients after autologous stem cell transplantation. *Swiss Med Wkly* 2013; 143:w13791.

Samaras P, Stenner-Liewen F, Knuth A, Bauer S, Taverna C, Stussi G, Schanz U, Honegger H, Zweifel M, Mischo A, Petrausch U, Siciliano R, Haile S, Blickenstorfer M, Renner C. Validation of prognostic factors and survival of patients with multiple myeloma in a real-life autologous stem cell transplantation setting: a Swiss single centre experience. *Swiss Med Wkly* 2011; 141:w13203.

Samaras P, Renner C, Knuth A, Stahel R, Stussi G, Schanz U, Pestalozzi B, Honegger H, Mischo A, Petrausch U, Haile S, Siciliano R, Buset E, Stenner-Liewen F. Equivalence of Pegfilgrastim and Filgrastim in Lymphoma Patients Treated with BEAM Followed by Autologous Stem Cell Transplantation. *Oncology* 2010; 79:93-97.

Samaras P, Stenner-Liewen F, Knuth A, Stahel R, Stussi G, Schanz U, Honegger H, Mischo A, Petrausch U, Buset E, Haile S, Siciliano R, Blickenstorfer M, Renner C. Pegfilgrastim reduces the length of hospitalization and the time to engraftment in multiple myeloma patients treated with melphalan 200 and auto-SCT compared with filgrastim. *Ann Hematol* 2010; 90:89-94.

Samaras P, Stenner-Liewen F, Knuth A, Zweifel M, Mischo A, Meisel A, Siciliano R, Schaefer N, Petrausch U, Haile S, Heider H, Renner C. Concomitant statin use does not impair the clinical outcome of patients with diffuse large B cell lymphoma treated with rituximab-CHOP. *Ann Hematol* 2010; 89:783-7.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch