



**Antje Belau**

**Contact**

Antje Belau

## Publications (4)

Schmidt M, Nitz U, Reimer T, Schmatloch S, Graf H, Just M, Stickeler E, Untch M, Runnebaum I, Belau A, Huober J, Jackisch C, Hofmann M, Krockner J, Nekljudova V, Loibl S, GBG/AGO-B, NOGGO/WSG study groups. Adjuvant capecitabine versus nihil in older patients with node-positive/high-risk node-negative early breast cancer receiving ibandronate - The ICE randomized clinical trial. *Eur J Cancer* 2023; 194:113324.

von Minckwitz G, Bauerfeind I, Clemens M, Schmidt M, Noeding S, Forstbauer H, Barinoff J, Belau A, Nekljudova V, Harbeck N, Lück H, Müller V, Kreienberg R, Möbus V, Schneeweiss A, Huober J, Thomssen C, Untch M, Jackisch C, Diel I, Elling D, Conrad B, Loibl S. German adjuvant intergroup node-positive study: a phase III trial to compare oral ibandronate versus observation in patients with high-risk early breast cancer. *J Clin Oncol* 2013; 31:3531-9.

Meier W, Burges A, Stähle A, Belau A, Schröder W, Richter B, Wimberger P, Schmalfeldt B, Canzler U, Kreienberg R, Wollschlaeger K, Huober J, Baumann K, Gropp-Meier M, Rau J, du Bois A, Sehouli J. Randomized phase II trial of carboplatin and paclitaxel with or without lonafarnib in first-line treatment of epithelial ovarian cancer stage IIB-IV. *Gynecol Oncol* 2012; 126:236-40.

Huober J, Mehta K, Darb-Esfahani S, Högel B, Thomssen C, Hauschild M, Khandan F, Belau A, Zahm D, Weiss E, Tesch H, Denkert C, von Minckwitz G, Loibl S. Effect of neoadjuvant anthracycline-taxane-based chemotherapy in different biological breast cancer phenotypes: overall results from the GeparTrio study. *Breast Cancer Res Treat* 2010; 124:133-40.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)