



**Peter Jüni**

## Contact

Peter Jüni

## Publications (17)

Manuel O, Laager M, Hirzel C, Neofytos D, Walti L, Hönger G, Binet F, Schnyder A, Stampf S, Koller M, Mombelli M, Kim M, Hoffmann M, Koenig K, Hess C, Burgener A, Cippà P, Hübel K, Müller T, Sidler D, Dahdal S, Suter-Riniker F, Villard J, Zbinden A, Pantaleo G, Semmo N, Hadaya K, Enriquez N, Meylan P, Froissart M, Golshayan D, Fehr T, Huynh-Do U, Pascual M, Van Delden C, Hirsch H, Jüni P, Müller N, Swiss Transplant Cohort Study (STCS). Immune monitoring-guided vs fixed duration of antiviral prophylaxis against cytomegalovirus in solid-organ transplant recipients. A Multicenter, Randomized Clinical Trial. *Clin Infect Dis* 2023

Iglesias J, Windecker S, Jüni P, Valgimigli M, Cuculi F, Kaiser C, Weilenmann D, Cook S, Brinkert M, Muller O, Tüller D, Degrauwe S, Roffi M, Heg D, Pilgrim T. Five-Year Outcomes With Biodegradable-Polymer Sirolimus-Eluting Stents Versus Durable-Polymer Everolimus-Eluting Stents in Patients With Acute Coronary Syndrome: A Subgroup Analysis of the BIOSCIENCE Trial. *Cardiovasc Revasc Med* 2021; 34:3-10.

Iglesias J, Windecker S, Jüni P, Valgimigli M, Cuculi F, Kaiser C, Weilenmann D, Cook S, Moarof I, Muller O, Rigamonti F, Lanz J, Tüller D, Roffi M, Heg D, Pilgrim T. Five-Year Outcomes in Patients With Diabetes Mellitus Treated With Biodegradable Polymer Sirolimus-Eluting Stents Versus Durable Polymer Everolimus-Eluting Stents. *J Am Heart Assoc* 2019; 8:e013607.

Iglesias J, Windecker S, Jüni P, Zwahlen M, Odutayo A, Valgimigli M, Eeckhout E, Losdat S, Stortecky S, Tapponnier M, Kaiser C, Weilenmann D, Moarof I, Kurz D, Roffi M, Heg D, Muller O, Pilgrim T. Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. *Lancet* 2019; 394:1243-1253.

Iglesias J, Windecker S, Jüni P, Häner J, Cuculi F, Kaiser C, Weilenmann D, Cook S, Moarof I, Muller O, Noble S, Tüller D, Roffi M, Heg D, Pilgrim T. Long-Term Effect of Ultrathin-Strut Versus Thin-Strut Drug-Eluting Stents in Patients With Small Vessel Coronary Artery Disease Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis of the BIOSCIENCE Randomized Trial. *Circ Cardiovasc Interv* 2019; 12:e008024.

Rothermundt C, Woelky R, Fankhauser C, Kunit T, Fischer N, Inauen R, Kamradt J, Ziegler K, Haynes A, Jüni P, Grassmugg T, Terbuch A, Thurneisen C, Cathomas R, Müller B, Mingrone W, Hirschi-Blickenstorfer A, Wehrhahn T, Ruf C, Rothschild S, Seifert B, Gillessen Sommer S. Correction to: Baseline characteristics and patterns of care in testicular cancer patients: first data from the Swiss Austrian German Testicular Cancer Cohort Study (SAG TCCS). *Swiss Med Wkly* 2018; 148:w14674.

Pilgrim T, Jüni P, Eberli F, Hunziker L, Cuculi F, Kaiser C, Weilenmann D, Cook S, Sionis G, Moarof I, Muller O, Tüller D, Roffi M, Heg D, Piccolo R, Windecker S. Ultrathin-strut, biodegradable-polymer, sirolimus-eluting stents versus thin-strut, durable-polymer, everolimus-eluting stents for percutaneous coronary revascularisation: 5-year outcomes of the BIOSCIENCE randomised trial. *Lancet* 2018; 392:737-746.

Iglesias J, Windecker S, Jüni P, Eeckhout E, Valgimigli M, Heg D, Tapponnier M, Kaiser C, Weilenmann D, Vuillomenet A, Kurz D, Roffi M, Zaugg S, Muller O, Pilgrim T. A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BIOTESTMI trial. *EuroIntervention* 2018; 14:692-699.

Rothermundt C, Woelky R, Fankhauser C, Kunit T, Fischer N, Inauen R, Kamradt J, Ziegler K, Haynes A, Jüni P, Grassmugg T, Terbuch A, Thurneisen C, Cathomas R, Müller B, Mingrone W, Hirschi-Blickenstorfer A, Wehrhahn T, Ruf C, Rothschild S, Seifert B, Gillessen Sommer S. Baseline characteristics and patterns of care in testicular cancer patients: first data from the Swiss Austrian German Testicular Cancer Cohort Study (SAG TCCS). *Swiss Med Wkly* 2018; 148:w14640.

Zamorano J, lung B, Hindricks G, Gaemperli O, Fitzsimons D, Delgado V, Dean V, Coman I, Coca A, Jüni P, Katus H, Simpson I, Shlyakhto E, Richter D, Ponikowski P, McDonagh T, Leclercq C, Lancellotti P, Knuuti J, Bueno H, Barbato E, Agewall S, Tendera M, Roffi M, Naylor A, De Carlo M, Czerny M, Collet J, Brodmann M, Björck M, Vlachopoulos C, Ricco J, Windecker S, Sulzenko J, Sievert H, Piepoli M, de Ceniga M, Dick F, Kolh P, Widimsky P, Aboyans V. Questions and Answers on Diagnosis and Management of Patients with Peripheral Arterial Diseases: A Companion Document of the 2017 ESC Guidelines for the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). *Eur J Vasc Endovasc Surg* 2018; 55:457-464.

Pilgrim T, Jüni P, Wenaweser P, Blöchliger S, Nietlisbach F, Rigamonti F, Taniwaki M, Khattab A, Jamshidi P, Kaiser C, Weilenmann D, Cook S, Muller O, Vuillomenet A, Tüller D, Roffi M, Heg D, Piccolo R, Windecker S. Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for primary percutaneous coronary revascularisation of acute myocardial infarction. *EuroIntervention* 2015; 11

Spitzer E, Mercado J, Islas F, Rothenbühler M, Kurmann R, Zürcher F, Krähenmann P, Llerena N, Jüni P, Torres P, Pilgrim T. Screening for Rheumatic Heart Disease among Peruvian Children: A Two-Stage Sampling Observational Study. *PLoS one* 2015; 10:e0133004.

Franzone A, Jüni P, Wenaweser P, Stortecky S, Räber L, Jamshidi P, Kaiser C, Weilenmann D, Cook S, Muller O, Vuillomenet A, Tüller D, Roffi M, Heg D, Pilgrim T, Windecker S. Clinical outcomes according to diabetic status in patients treated with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents: prespecified subgroup analysis of the BIOSCIENCE trial. *Circ Cardiovasc Interv* 2015; 8

Pilgrim T, Jüni P, Wenaweser P, Eberli F, Noble S, Moschovitis A, Fahrni T, Jamshidi P, Kaiser C, Weilenmann D, Cook S, Vuillomenet A, Muller O, Tüller D, Roffi M, Heg D, Windecker S. Ultrathin strut biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent for percutaneous coronary revascularisation (BIOSCIENCE): a randomised, single-blind, non-inferiority trial. *Lancet* 2014; 384:2111-22.

Pilgrim T, Jüni P, Heg D, Jamshidi P, Kaiser C, Weilenmann D, Cook S, Vuillomenet A, Muller O, Tüller D, Roffi M, Windecker S. Randomized comparison of biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for percutaneous coronary revascularization: rationale and design of the BIOSCIENCE trial. *Am Heart J* 2014; 168:256-61.

Bükki J, Stanga Z, Tellez F, Duclos K, Kolev M, Krähenmann P, Pabst T, Iff S, Jüni P. Omega-3 poly-unsaturated fatty acids for the prevention of severe neutropenic enterocolitis in patients with acute myeloid leukemia. *Nutr Cancer* 2013; 65:834-42.

von Minckwitz G, Gerber B, du Bois A, Huober J, Hanusch C, Konecny G, Fett W, Stickeler E, Harbeck N, Müller V, Jackisch C, Hilfrich J, Mehta K, Untch M, Nüesch E, Loibl S, Kaufmann M, Kümmel S, Fasching P, Eiermann W, Blohmer J, Costa S, Jüni P. Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. *Breast Cancer Res Treat* 2010; 125:145-56.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)