



Christophe Wyss

Contact

Christophe Wyss

Publications (6)

Feuchtnner G, Leschka S, Alkadhi H, Falk V, Schnabl J, Donati O, Stolzmann P, Wyss C, Scheffel H, Wieser M, Plass A, Goetti R, Cury R. Adenosine stress high-pitch 128-slice dual-source myocardial computed tomography perfusion for imaging of reversible myocardial ischemia: comparison with magnetic resonance imaging. *Circ Cardiovasc Imaging* 2011; 4:540-9.

Donati O, Leschka S, Falk V, Kozerke S, Plass A, Azemaj N, Wyss C, Hennemuth A, Kuehnel C, Scheffel H, Alkadhi H, Stolzmann P. 3D fusion of functional cardiac magnetic resonance imaging and computed tomography coronary angiography: accuracy and added clinical value. *Invest Radiol* 2011; 46:331-40.

Goetti R, Leschka S, Boschung M, Mayer S, Wyss C, Stolzmann P, Frauenfelder T. Radiation doses from phantom measurements at high-pitch dual-source computed tomography coronary angiography. *Eur J Radiol* 2011

Stolzmann P, Alkadhi H, Scheffel H, Plass A, Leschka S, Falk V, Kozerke S, Wyss C, Donati O. Combining cardiac magnetic resonance and computed tomography coronary calcium scoring: added value for the assessment of morphological coronary disease?. *Int J Cardiovasc Imaging* 2010

Donati O, Alkadhi H, Marincek B, Falk V, Wyss C, Plass A, Kozerke S, Leschka S, Desbiolles L, Stolzmann P, Scheffel H. Coronary artery disease: Which degree of coronary artery stenosis is indicative of ischemia?. *Eur J Radiol* 2010

Scheffel H, Marincek B, Wyss C, Boesiger P, Falk V, Kozerke S, Leschka S, Desbiolles L, Baumueller S, Plass A, Azemaj N, Alkadhi H, Stolzmann P, Donati O. Low-dose CT and cardiac MR for the diagnosis of coronary artery disease: accuracy of single and combined approaches. *Int J Cardiovasc Imaging* 2010; 26:579-90.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch