



Franz Eberli

Contact

Franz Eberli

Publications (12)

Foster-Witassek F, Rickli H, Roffi M, Pedrazzini G, Eberli F, Fassa A, Jeger R, Fournier S, Erne P, Radovanovic D. Reducing gap in pre-hospital delay between women and men presenting with ST-Elevation myocardial infarction. Eur J Prev Cardiol 2022

Tersalvi G, Erne P, Moccetti T, Jeger R, Moccetti M, Eberli F, Roffi M, Rickli H, Radovanovic D, Biasco L, Pedrazzini G. Heavy Drinking Habits Are Associated with Worse In-Hospital Outcomes in Patients with Acute Coronary Syndrome: An Insight from the AMIS Plus Registry. Cardiology 2020; 145:757-765.

Hermann M, Rickli H, Radovanovic D, Maggiorini M, Roffi M, Muller O, Eberli F, Erne P, Witassek F, AMIS Plus Investigators. Impact of cardiac rehabilitation participation on patient-reported lifestyle changes one year after myocardial infarction. Eur J Prev Cardiol 2019;2047487319895429.

Jeger R, Weilenmann D, Rickli H, Hansen K, Rickenbacher P, Conen D, Müller C, Osswald S, Gilgen N, Vuillomenet A, Pedrazzini G, Pfisterer M, Vogt D, Galatius S, Abildgaard U, Naber C, Alber H, Eberli F, Kurz D, Kaiser C. Competing risks of major bleeding and thrombotic events with prasugrel-based dual antiplatelet therapy after stent implantation - An observational analysis from BASKET-PROVE II. PloS one 2019; 14:e0210821.

Biasco L, Erne P, Moccetti T, Jeger R, Eberli F, Roffi M, Rickli H, Moccetti M, Radovanovic D, Pedrazzini G. New-onset or Pre-existing Atrial Fibrillation in Acute Coronary Syndromes: Two Distinct Phenomena With a Similar Prognosis. Rev Esp Cardiol (Engl Ed) 2018

Vassalli G, Pedrazzini G, Pfisterer M, Kaiser C, Moccetti T, Bonetti P, Bertel O, Hornig B, Rickli H, Eberli F, Erne P, Galatius S, De Servi S, Klersy C, BASKET-PROVE Investigators. Can the optimal type of stent be predicted based on clinical risk factors? A subgroup analysis of the randomized BASKET-PROVE trial. Am Heart J 2015; 173:1-7.

Kaiser C, Vuillomenet A, Steiner M, von Felten S, Vogt D, Wadt Hansen K, Rickenbacher P, Conen D, Müller C, Buser P, Hoffmann A, Pfisterer M, Weilenmann D, Rickli H, Galatius S, Jeger R, Gilgen N, Skov Jensen J, Naber C, Alber H, Wanitschek M, Eberli F, Kurz D, Pedrazzini G, Moccetti T, BASKET-PROVE II study group. Long-term efficacy and safety of biodegradable-polymer biolimus-eluting stents: main results of the Basel Stent Kosten-Effektivitäts Trial-PROspective Validation Examination II (BASKET-PROVE II), a randomized, controlled noninferiority 2-year outcome trial. Circulation 2014; 131:74-81.

Jeger R, Kaiser C, Galatius S, Rickli H, Pedrazzini G, Erne P, Eberli F, Bonetti P, Alber H, von Felten S, Sørensen R, Pfisterer M, BASKET and BASKET-PROVE investigators. Tradeoff between bleeding and stent thrombosis in different dual antiplatelet therapy regimens: Importance of case fatality rates and effective treatment durations. Am Heart J 2014; 168:698-705.

Jeger R, Gilgen N, Vuillomenet A, Jensen J, Rickli H, Pedrazzini G, Naber C, Galatius S, Eberli F, Alber H, Pfisterer M, Kaiser C. Newest-generation drug-eluting and bare-metal stents combined with prasugrel-based antiplatelet therapy in large coronary arteries: the BAsel Stent Kosten Effektivitäts Trial PROspective Validation Examination part II (BASKET-PROVE II) trial design. Am Heart J 2012; 163:136-41.e1.

Pedrazzini G, Erne P, Rickli H, Windecker S, Urban P, Eberli F, Moccetti T, Sürder D, Vassalli G, Radovanovic D, AMIS Plus Investigators. Primary percutaneous coronary intervention for unprotected left main disease in patients with acute ST-segment elevation myocardial infarction the AMIS (Acute Myocardial Infarction in Switzerland) plus registry experience. JACC Cardiovasc Interv 2011; 4:627-33.

Kaiser C, Pfisterer M, Ricard I, Brunner-La Rocca H, De Servi S, Bonetti P, Bertel O, Hornig B, Pedrazzini G, Rickli H, Alber H, Eberli F, Erne P, Galatius S, BASKET-PROVE Study Group. Drug-eluting versus bare-metal stents in large coronary arteries. N Engl J Med 2010; 363:2310-9.

Englberger L, Portocarrero Vivero-Fäh B, Berdat P, Eberli F, Meier B, Carrel T. Impact of clopidogrel in coronary artery bypass grafting. Eur J Cardiothorac Surg. 2004; 26:96-101.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch