



Walter P Weber

Contact

Walter P Weber

Publications (12)

Knauer M, Winkler J, Reinisch M, Reitsamer R, Singer C, Reisenberger K, Hager C, Fansa H, Exner R, Dubsy P, Berclaz G, Leo C, Lam G, Fehr M, Naydina T, Heil J, Egle D, Lelièvre L, Markellou P, Schulz A, Maggi N, Nussbaumer R, Fitzal F, Ostapenko V, Clerc K, Kohlik M, Dedes K, Sarlos D, Muenst S, Ruhstaller T, Maddox C, Seiler S, Zimmermann F, Gruber G, Zwahlen D, Henke G, Tausch C, Hayoz S, Matrai Z, Ackerknecht M, Kuemmel S, Bjelic-Radisic V, Maráz R, Gabriel N, Fehr P, Simonson C, Bucher S, Becciolini C, Meyer I, Satler R, Vrieling C, Újhelyi M, Kurzeder C, Weber W. Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). *Breast* 2021; 60:98-110.

Henke G, Kurzeder C, Gyr A, Ballardini B, Matrai Z, Gnant M, Fitzal F, Hawle H, Ackerknecht M, Muenst S, Zwahlen D, Ruhstaller T, Gerard M, Hayoz S, Ribl K, Knauer M, Weber W. Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (TAXIS): study protocol for a multicenter, randomized phase-III trial. *Trials* 2018; 19:667.

Gnant M, Montagna G, Meani F, Mechera R, Landin J, Knauer M, Kappos E, Hauser N, Harder Y, Günthert A, Ganz-Blättler U, Fulco I, Fehr M, Ritter M, Saccilotto R, Schwab F, Sacchini V, Pusic A, El-Tamer M, Romics L, Wyld L, Tansley A, Kovacs T, Lohsiriwat V, Soysal S, Zeindler J, Tausch C, Steffens D, Farhadi J, Dubsy P, Heil J, Blohmer J, Paulinelli R, Urban C, Brenelli F, Biazus J, Fitzal F, Reitsamer R, Koller R, Bjelic-Radisic V, Kurzeder C, Haug M, Hoffmann J, Matrai Z, Catanuto G, Bucher S, Svensjö T, de Boniface J, Rubio I, Gouveia P, Cardoso M, Olsha O, Allweis T, Hadar T, Barry M, Gentilini O, Galimberti V, Weber W. Oncoplastic Breast Consortium consensus conference on nipple-sparing mastectomy. *Breast Cancer Res Treat* 2018

Weber W, Reitsamer R, Koller R, Heil J, Hahn M, Blohmer J, Hoffmann J, Solbach C, Heitmann C, Gerber B, Haug M, Bjelic-Radisic V, Dubsy P, Fitzal F, Soysal S, El-Tamer M, Sacchini V, Knauer M, Tausch C, Hauser N, Günthert A, Harder Y, Kappos E, Schwab F, Kurzeder C. First international consensus conference on standardization of oncoplastic breast conserving surgery. *Breast Cancer Res Treat* 2017; 165:139-149.

Adamina M, Spagnoli G, Marti W, Oertli D, Heberer M, Jacob A, Huegli R, Bolli M, Viehl C, Frey D, Weber W, Rosenthal R, Zajac P. Intranodal immunization with a vaccinia virus encoding multiple antigenic epitopes and costimulatory molecules in metastatic melanoma. *Mol Ther* 2010; 18:651-9.

Rosenthal R, Heberer M, Oertli D, von Holzen U, Frey D, Weber W, Bolli M, Iezzi G, Zajac P, Feder-Mengus C, Adamina M, Bracci L, Groeper C, Spagnoli G. Differential responsiveness to IL-2, IL-7, and IL-15 common receptor gamma chain cytokines by antigen-specific peripheral blood naive or memory cytotoxic CD8+ T cells from healthy donors and melanoma patients. *J Immunother* 2009; 32:252-61.

Rosenthal R, Viehl C, Gueller U, Weber W, Adamina M, Spagnoli G, Heberer M, Zuber M. Active specific immunotherapy phase III trials for malignant melanoma: systematic analysis and critical appraisal. *J Am Coll Surg* 2008; 207:95-105.

Adamina M, Heberer M, Zuber M, Oertli D, Frey D, Gueller U, Zajac P, Schumacher R, Rosenthal R, Weber W, Spagnoli G. Heterologous prime-boost immunotherapy of melanoma patients with Influenza virosomes, and recombinant Vaccinia virus encoding 5 melanoma epitopes and 3 co-stimulatory molecules. A multi-centre phase I/II open labeled clinical trial. *Contemp Clin Trials* 2007; 29:165-81.

Weber W, Gueller U, Jain N, Pietrobon R, Oertli D. Impact of surgeon and hospital caseload on the likelihood of performing laparoscopic vs open sigmoid resection for diverticular disease: a study based on 55,949 patients. *Arch Surg* 2007; 142:253-9; discussion 259.

Adamina M, Oertli D, Spagnoli G, Amacker M, Zurbriggen R, Feder C, Groeper C, Rosenthal R, Weber W, Zajac P, Schumacher R, Heberer M. Advanced liposomal vectors as cancer vaccines in melanoma immunotherapy. *J Liposome Res* 2006; 16:195-204.

von Holzen U, Heberer M, Oertli D, Marti W, Schumacher R, Feder C, Reschner A, Groeper C, Zajac P, Weber W, Bolli M, Adamina M, Spagnoli G. Selective responsiveness to common gamma chain cytokines in peripheral blood-derived cytotoxic T lymphocytes induced by Melan-A/MART-1(27-35)targeted active specific immunotherapy. *Int J Cancer* 2005; 115:248-55.

Spagnoli G, Adamina M, Bolli M, Weber W, Zajac P, Marti W, Oertli D, Heberer M, Harder F. Active antigen-specific immunotherapy of melanoma: from basic science to clinical investigation. *World J Surg* 2005; 29:692-9.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch