



## the Swiss HIV Cohort Study (SHCS)

### Contact

the Swiss HIV Cohort Study (SHCS)

## Publications (4)

Scherrer A, Günthard H, Ledergerber B, Bernasconi E, Vernazza P, Elzi L, Cavassini M, Calmy A, Furrer H, Aubert V, Klimkait T, Yerly S, Böni J, the Swiss HIV Cohort Study (SHCS). Correction: Long-Lasting Protection of Activity of Nucleoside Reverse Transcriptase Inhibitors and Protease Inhibitors (PIs) by Boosted PI Containing Regimens. *PloS one* 2013; 8

Weber R, the Swiss HIV Cohort Study (SHCS), Schultze D, Schöni-Affolter F, Schüpbach J, Speck R, Taffé P, Tarr P, Telenti A, Trkola A, Vernazza P, Ledergerber B, Kowalska J, Ruppik M, Rickenbach M, Spoerri A, Furrer H, Battegay M, Cavassini M, Calmy A, Bernasconi E, Schmid P, Flepp M, Yerly S. Decreasing mortality and changing patterns of causes of death in the Swiss HIV Cohort Study. *HIV Med* 2012

von Wyl V, Günthard H, Joos B, Weber R, Vernazza P, Hirschel B, Rauch A, Cavassini M, Bernasconi E, Battegay M, Kuster H, Niederoest B, Fischer M, Gianella S, the Swiss HIV Cohort Study (SHCS). Early Antiretroviral Therapy During Primary HIV-1 Infection Results in a Transient Reduction of the Viral Setpoint upon Treatment Interruption. *PloS one* 2011; 6:e27463.

Magenta L, Bernasconi E, Bucher H, Decosterd L, Cavassini M, Evison J, Vernazza P, Hirschel B, Flepp M, Hasse B, Young J, Richter W, Dell-Kuster S, the Swiss HIV Cohort Study (SHCS). Lipid and Lipoprotein Profile in HIV-Infected Patients Treated with Lopinavir/Ritonavir as a Component of the First Combination Antiretroviral Therapy. *AIDS Res Hum Retroviruses* 2010

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)