



Volker Viereck

Contact

Volker Viereck

Publications (8)

Huttner A, Bernasconi E, Viereck V, Kavvadias T, Kling K, Ryu G, Hülder T, Gröger S, Scheiner D, Alaimo C, Harbarth S, Poolman J, Kuhn A, de Vallière S, Hatz C, van den Dobbelen G, Abbanat D, Hornacek A, Frölich R, Dreyer A, Martin P, Davies T, Fae K, van den Nieuwenhof I, Thoelen S, Fonck V. Safety, immunogenicity, and preliminary clinical efficacy of a vaccine against extraintestinal pathogenic *Escherichia coli* in women with a history of recurrent urinary tract infection: a randomised, single-blind, placebo-controlled phase 1b trial. *Lancet Infect Dis* 2017; 17:528-537.

Właźlak E, Viereck V, Kociszewski J, Kuszka A, Rautenberg O, Walser C, Surkont G, Gamper M, Fehr M. Role of intrinsic sphincter deficiency with and without urethral hypomobility on the outcome of tape insertion. *Neurourol Urodyn* 2017; 36:1910-1916.

Zivanovic I, Rautenberg O, Lobodasch K, von Bünau G, Walser C, Viereck V. Urethral bulking for recurrent stress urinary incontinence after midurethral sling failure. *Neurourol Urodyn* 2016; 36:722-726.

Viereck V, Kuszka A, Rautenberg O, Właźlak E, Surkont G, Hilgers R, Eberhard J, Kociszewski J. Do different vaginal tapes need different suburethral incisions? The one-half rule. *Neurourol Urodyn* 2014; 34:741-6.

Rautenberg O, Kociszewski J, Welter J, Kuszka A, Eberhard J, Viereck V. Ultrasound and early tape mobilization--a practical solution for treating postoperative voiding dysfunction. *Neurourol Urodyn* 2013; 33:1147-51.

Viereck V, Rautenberg O, Kociszewski J, Grothey S, Welter J, Eberhard J. Midurethral sling incision: indications and outcomes. *Int Urogynecol J* 2012; 24:645-53.

Kociszewski J, Rautenberg O, Kolben S, Eberhard J, Hilgers R, Viereck V. Tape functionality: position, change in shape, and outcome after TVT procedure--mid-term results. *Int Urogynecol J* 2010; 21:795-800.

Kociszewski J, Rautenberg O, Perucchini D, Eberhard J, Geissbühler V, Hilgers R, Viereck V. Tape functionality: sonographic tape characteristics and outcome after TVT incontinence surgery. *Neurourol Urodyn* 2008; 27:485-90.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch