



Christian Foerch

Contact

Christian Foerch

Publications (8)

Honegger T, Schweizer J, Bicvic A, Westphal L, Schütz V, Inauen C, Pokorny T, Bracher K, Arnold M, Fischer U, Bonati L, De Marchis G, Nedeltchev K, Kahles T, Cereda C, Kägi G, Montaner J, Bustamante A, Palà E, Ntaios G, Foerch C, Luft A, Spanaus K, Saleh L, von Eckardstein A, Arnold M, Katan M. Serum S-100B adds incremental value for the prediction of symptomatic intracranial hemorrhage and brain edema after acute ischemic stroke. *Eur Stroke J* 2022; 8:309–319.

Schweizer J, Arnoldini M, König I, Bicvic A, Westphal L, Schütz V, Inauen C, Scherrer N, Luft A, Galovic M, Ferreira Atuesta C, Pokorny T, Arnold M, Fischer U, Bonati L, De Marchis G, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Sagris D, Foerch C, Spanaus K, von Eckardstein A, Katan M. Measurement of Midregional Pro-Atrial Natriuretic Peptide to Discover Atrial Fibrillation in Patients With Ischemic Stroke. *J Am Coll Cardiol* 2022; 79:1369–1381.

Arnold M, Schweizer J, Nakas C, Schütz V, Westphal L, Inauen C, Pokorny T, Luft A, Leichtle A, Arnold M, Bicvic A, Fischer U, De Marchis G, Bonati L, Delignette-Muller M, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Foerch C, Spanaus K, von Eckardstein A, Katan M. Lipoprotein(a) is associated with large artery atherosclerosis stroke aetiology and stroke recurrence among patients below the age of 60 years: results from the BIOSIGNAL study. *Eur Heart J* 2021; 42:2186–2196.

De Marchis G, Dankowski T, König I, Fladt J, Fluri F, Gensicke H, Foerch C, Findling O, Kurmann R, Fischer U, Luft A, Buhl D, Engelter S, Lyrer P, Christ-Crain M, Arnold M, Katan M. A novel biomarker-based prognostic score in acute ischemic stroke: The CoRisk score. *Neurology* 2019; 92:e1517–e1525.

De Marchis G, Schneider J, Weck A, Fluri F, Fladt J, Foerch C, Müller-Stich B, Luft A, Christ-Crain M, Arnold M, Katan M. Midregional proatrial natriuretic peptide improves risk stratification after ischemic stroke. *Neurology* 2018; 90:e455–e465.

De Marchis G, Weck A, Audebert H, Benik S, Foerch C, Buhl D, Schuetz P, Jung S, Seiler M, Morgenthaler N, Mattle H, Müller-Stich B, Christ-Crain M, Arnold M, Katan M. Copeptin for the prediction of recurrent cerebrovascular events after transient ischemic attack: results from the CoRisk study. *Stroke* 2014; 45:2918–23.

De Marchis G, Katan M, Weck A, Fluri F, Foerch C, Findling O, Schuetz P, Buhl D, El-Koussy M, Gensicke H, Seiler M, Morgenthaler N, Mattle H, Müller-Stich B, Christ-Crain M, Arnold M. Copeptin adds prognostic information after ischemic stroke: results from the CoRisk study. *Neurology* 2013; 80:1278–86.

Foerch C, Niessner M, Back T, Bauerle M, De Marchis G, Ferber A, Grehl H, Hamann G, Jacobs A, Kastrup A, Klimpe S, Palm F, Thomalla G, Worthmann H, Sitzer M, BE FAST Study Group. Diagnostic accuracy of plasma glial fibrillary acidic protein for differentiating intracerebral hemorrhage and cerebral ischemia in patients with symptoms of acute stroke. *Clin Chem* 2011; 58:237–45.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch