



Michele Genoni

Contact

Michele Genoni

Publications (21)

Leschka S, Wildermuth S, Jenni R, Prêtre R, Genoni M, Marincek B, Desbiolles L, Husmann L, Oechslin E, Alkadhi H. Pre- and postoperative evaluation of congenital heart disease in children and adults with 64-section CT. *Radiographics* 2010; 27:829-46.

Salzberg S, Plass A, Emmert M, Desbiolles L, Alkadhi H, Grünenfelder J, Genoni M. Left atrial appendage clip occlusion: early clinical results. *J Thorac Cardiovasc Surg* 2009; 139:1269-74.

Plass A, Azemaj N, Scheffel H, Desbiolles L, Alkadhi H, Genoni M, Falk V, Grünenfelder J. Accuracy of dual-source computed tomography coronary angiography: evaluation with a standardised protocol for cardiac surgeons. *Eur J Cardiothorac Surg*. 2009; 36:1011-7.

Alkadhi H, Marincek B, Cattin P, Genoni M, Trindade P, Schertler T, Plass A, Scheffel H, Leschka S, Stolzmann P, Desbiolles L, Frauenfelder T. Mitral annular shape, size, and motion in normals and in patients with cardiomyopathy: evaluation with computed tomography. *Invest Radiol* 2009; 44:218-25.

Leschka S, Stolzmann P, Scheffel H, Wildermuth S, Plass A, Genoni M, Marincek B, Alkadhi H. Prevalence and morphology of coronary artery ectasia with dual-source CT coronary angiography. *Eur Radiol* 2008; 18:2776-84.

Alkadhi H, Stolzmann P, Scheffel H, Desbiolles L, Baumüller S, Plass A, Genoni M, Marincek B, Leschka S. Radiation dose of cardiac dual-source CT: the effect of tailoring the protocol to patient-specific parameters. *Eur J Radiol* 2008; 68:385-91.

Stolzmann P, Marincek B, Wildermuth S, Flohr T, Genoni M, Plass A, Desbiolles L, Krauss T, Scheffel H, Leschka S, Alkadhi H. Dual-source CT in step-and-shoot mode: noninvasive coronary angiography with low radiation dose. *Radiology* 2008; 249:71-80.

Stolzmann P, Kaufmann P, Marincek B, Genoni M, Leschka S, Husmann L, Plass A, Trindade P, Scheffel H, Alkadhi H. Left ventricular and left atrial dimensions and volumes: comparison between dual-source CT and echocardiography. *Invest Radiol* 2008; 43:284-9.

Leschka S, Kaufmann P, Eberli F, Marincek B, Genoni M, Schepis T, Gaemperli O, Vachenauer R, Plass A, Husmann L, Koepfli P, Alkadhi H. Myocardial bridging: depiction rate and morphology at CT coronary angiography--comparison with conventional coronary angiography. *Radiology* 2008; 246:754-62.

Alkadhi H, Kaufmann P, Marincek B, Genoni M, Luescher T, Goerres G, Plass A, Stolzmann P, Gaemperli O, Desbiolles L, Scheffel H, Leschka S. Dual-source computed tomography coronary angiography: influence of obesity, calcium load, and heart rate on diagnostic accuracy. *Eur Heart J* 2008; 29:766-76.

Blank R, Haager P, Maeder M, Genoni M, Rickli H. Giant right coronary artery aneurysm. *The Annals of thoracic surgery* 2007; 84:1740-2.

Alkadhi H, Kaufmann P, Jenni R, Marincek B, Genoni M, Flohr T, Gaemperli O, Schepis T, Vachenauer R, Scheffel H, Leschka S, Plass A, Husmann L, Desbiolles L, Frauenfelder T. Aortic regurgitation: assessment with 64-section CT. *Radiology* 2007; 245:111-21.

Leschka S, Kaufmann P, Marincek B, Genoni M, Flohr T, Husmann L, Valenta I, Gaemperli O, Plass A, Desbiolles L, Scheffel H, Alkadhi H. Image quality and reconstruction intervals of dual-source CT coronary angiography: recommendations for ECG-pulsing windowing. *Invest Radiol* 2007; 42:543-9.

Scheffel H, Kaufmann P, Marincek B, Genoni M, Garzoli E, Gaemperli O, Vachenauer R, Plass A, Leschka S, Alkadhi H. Accuracy of 64-slice computed tomography for the preoperative detection of coronary artery disease in patients with chronic aortic regurgitation. *Am J Cardiol* 2007; 100:701-6.

Scheffel H, Marincek B, Kaufmann P, Genoni M, Grünenfelder J, Husmann L, Schertler T, Frauenfelder T, Schepis T, Gaemperli O, Desbiolles L, Vachenauer R, Plass A, Alkadhi H, Leschka S. Accuracy of dual-source CT coronary angiography: First experience in a high pre-test probability population without heart rate control. *Eur Radiol* 2006; 16:2739-47.

Husmann L, Leschka S, Salzberg S, Lachat M, Genoni M, Marincek B, Alkadhi H. Sixty-four-slice computed tomographic coronary angiography in pseudoaneurysm of the ascending aorta: a useful modality to supplement the diagnosis. *J Thorac Cardiovasc Surg* 2006; 132:e17-9.

Hoerstrup S, Genoni M, Gössi M, Günter C, Mol A, Schmidt D, Neuenschwander S, Leschka S, Jenni R, Schoen F, Lachat M, Cummings Mrcs I, Zünd G. Functional growth in tissue-engineered living, vascular grafts: follow-up at 100 weeks in a large animal model. *Circulation* 2006; 114:I159-66.

Plass A, Grünenfelder J, Leschka S, Alkadhi H, Eberli F, Wildermuth S, Zünd G, Genoni M. Coronary artery imaging with 64-slice computed tomography from cardiac surgical perspective. *Eur J Cardiothorac Surg*. 2006; 30:109-16.

Maeder M, Wolber T, Künzli A, Genoni M, Blank R, Rickli H. Aortopulmonary fistula occurring 4 years after replacement of the ascending aorta. *The Annals of thoracic surgery* 2006; 81:e18-20.

Plass A, Baumert B, Häussler A, Grünenfelder J, Wildermuth S, Eberli F, Zünd G, Genoni M. Sixteen-channel multidetector row computed tomography versus coronary angiography in a surgical view. *The heart surgery forum* 2006; 9:E572-8.

Alkadhi H, Leschka S, Hurlmann D, Jenni R, Genoni M, Wildermuth S. Fibroelastoma of the aortic valve. Evaluation with echocardiography and 64-slice CT. *Herz* 2005; 30:438.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch