



Robert Goetti

Contact

Robert Goetti

Publications (18)

Gnannt R, Fischer M, Goetti R, Karlo C, Leschka S, Alkadhi H. Dual-energy CT for characterization of the incidental adrenal mass: preliminary observations. *AJR Am J Roentgenol* 2012; 198:138-44.

Feuchtner G, Leschka S, Alkadhi H, Falk V, Schnabl J, Donati O, Stolzmann P, Wyss C, Scheffel H, Wieser M, Plass A, Goetti R, Cury R. Adenosine stress high-pitch 128-slice dual-source myocardial computed tomography perfusion for imaging of reversible myocardial ischemia: comparison with magnetic resonance imaging. *Circ Cardiovasc Imaging* 2011; 4:540-9.

Fischer M, Gnannt R, Raptis D, Reiner C, Clavien P, Schmidt B, Leschka S, Alkadhi H, Goetti R. Quantification of liver fat in the presence of iron and iodine: an ex-vivo dual-energy CT study. *Invest Radiol* 2011; 46:351-8.

Goetti R, Feuchtner G, Stolzmann P, Donati O, Wieser M, Plass A, Frauenfelder T, Leschka S, Alkadhi H. Delayed enhancement imaging of myocardial viability: low-dose high-pitch CT versus MRI. *Eur Radiol* 2011; 21:2091-9.

Baumüller S, Desbiolles L, Scheffel H, Feuchtner G, Falk V, Plass A, Schertler T, Goetti R, Frauenfelder T, Stolzmann P, Alkadhi H, Leschka S. Computed tomography of the lung in the high-pitch mode: is breath holding still required?. *Invest Radiol* 2011; 46:240-5.

Goetti R, Leschka S, Boschung M, Mayer S, Wyss C, Stolzmann P, Frauenfelder T. Radiation doses from phantom measurements at high-pitch dual-source computed tomography coronary angiography. *Eur J Radiol* 2011

Goetti R, Marincek B, Knuth A, Scheffel H, Stolzmann P, Reiner C, Stenner F, von Boehmer L, Samaras P, Klotz E, Desbiolles L, Leschka S, Alkadhi H. Quantitative computed tomography liver perfusion imaging using dynamic spiral scanning with variable pitch: feasibility and initial results in patients with cancer metastases. *Invest Radiol* 2010; 45:419-26.

Goetti R, Alkadhi H, Scheffel H, Baumüller S, Karlo C, Fischer M, Desbiolles L, Stolzmann P, Feuchtner G, Leschka S. High-pitch dual-source CT coronary angiography: systolic data acquisition at high heart rates. *Eur Radiol* 2010; 20:2565-71.

Leschka S, Jochum W, Marincek B, Oehlschlegel C, Wildermuth S, Wunnicke K, Feuchtner G, Scheffel H, Goetti R, Stolzmann P, Baumüller S, Dettmer M, Seitun S, Alkadhi H. Ex vivo evaluation of coronary atherosclerotic plaques: characterization with dual-source CT in comparison with histopathology. *J Cardiovasc Comput Tomogr* 2010; 4:301-8.

Alkadhi H, Marincek B, Falk V, Feuchtner G, Scheffel H, Plass A, Goetti R, Baumüller S, Desbiolles L, Stolzmann P, Leschka S. Low-dose, 128-slice, dual-source CT coronary angiography: accuracy and radiation dose of the high-pitch and the step-and-shoot mode. *Heart* 2010; 96:933-8.

Goetti R, Alkadhi H, Marincek B, Falk V, Stolzmann P, Desbiolles L, Wieser M, Plass A, Baumüller S, Leschka S, Feuchtner G. Low dose high-pitch spiral acquisition 128-slice dual-source computed tomography for the evaluation of coronary artery bypass graft patency. *Invest Radiol* 2010; 45:324-30.

Feuchtner G, Alkadhi H, Marincek B, Wieser M, Scheffel H, Stolzmann P, Baumüller S, Plass A, Goetti R, Leschka S. Dual-step prospective ECG-triggered 128-slice dual-source CT for evaluation of coronary arteries and cardiac function without heart rate control: a technical note. *Eur Radiol* 2010; 20:2092-9.

Wolf F, Alkadhi H, Marincek B, Friedrich G, Lammer J, Goetti R, Bercaczy D, Scherthaner R, Plank C, Homolka P, Loewe C, Leschka S, Feuchtner G. Coronary artery stent imaging with 128-slice dual-source CT using high-pitch spiral acquisition in a cardiac phantom: comparison with the sequential and low-pitch spiral mode. *Eur Radiol* 2010; 20:2084-91.

Goetti R, Baumüller S, Feuchtner G, Stolzmann P, Karlo C, Alkadhi H, Leschka S. High-pitch dual-source CT angiography of the thoracic and abdominal aorta: is simultaneous coronary artery assessment possible?. *AJR Am J Roentgenol* 2010; 194:938-44.

Leschka S, Feuchtner G, Goetti R, Alkadhi H. Computed tomography of the coronary arteries in diagnosis. *Expert Opin Med Diagn* 2010; 4:171-83.

Stolzmann P, Alkadhi H, Marincek B, Feuchtner G, Scheffel H, Falk V, Plass A, Baumüller S, Goetti R, Leschka S. Prospective and retrospective ECG-gating for CT coronary angiography perform similarly accurate at low heart rates. 2010

Goetti R, Candinas R, Leschka S, Hoffmann U, Alkadhi H. IMAGE CARDIO MED: Bronchocoronary collateral circulation: clinical utility of cardiac computed tomography. *Circulation* 2010; 121:180-1.

Leschka S, Marincek B, Feuchtner G, Falk V, Plass A, Scheffel H, Schertler T, Goetti R, Baumüller S, Desbiolles L, Stolzmann P, Alkadhi H. Diagnostic accuracy of high-pitch dual-source CT for the assessment of coronary stenoses: first experience. *Eur Radiol* 2009; 19:2896-903.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch