



**Silvia Darb-Esfahani**

**Contact**

Silvia Darb-Esfahani

## Publications (8)

Loibl S, Kronenwett R, von Minckwitz G, Staebler A, Müller V, Darb-Esfahani S, Hartmann A, Furlanetto J, Kümmel S, Pfitzner B, Engels K, Schem C, Marme F, Krappmann K, Huober J, Weber K, Denkert C. Risk Assessment after Neoadjuvant Chemotherapy in Luminal Breast Cancer Using a Clinicomolecular Predictor. *Clin Cancer Res* 2018; 24:3358-3365.

Denkert C, Engels K, Schneeweiss A, Hartmann A, Noske A, Fasching P, Jackisch C, van Mackelenbergh M, Sinn P, Schem C, Hanusch C, Untch M, Kümmel S, Pfitzner B, Karn T, von Minckwitz G, Darb-Esfahani S, Lederer B, Heppner B, Weber K, Budczies J, Huober J, Klauschen F, Furlanetto J, Schmitt W, Blohmer J, Loibl S. Tumour-infiltrating lymphocytes and prognosis in different subtypes of breast cancer: a pooled analysis of 3771 patients treated with neoadjuvant therapy. *Lancet Oncol* 2017; 19:40-50.

Endris V, Weichert W, Dietel M, Höfler G, Jochum W, Büttner R, Kirchner T, Kreipe H, Lehmann U, Jung A, Sabine-Merkelbach-Bruse, Hummel M, Darb-Esfahani S, Lenze D, Möbs M, Penzel R, Pfarr N, Stenzinger A, Schirmacher P. NGS-based BRCA1/2 mutation testing of high-grade serous ovarian cancer tissue: results and conclusions of the first international round robin trial. *Virchows Arch* 2016; 468:697-705.

Loibl S, Untch M, von Minckwitz G, Mehta K, Jackisch C, Tiemann K, Fasching P, Pfitzner B, Eidtmann H, Hartmann A, Lederer B, Furlanetto J, Klimowicz A, Huober J, Darb-Esfahani S, Denkert C. Integrated Analysis of PTEN and p4EBP1 Protein Expression as Predictors for pCR in HER2-Positive Breast Cancer. *Clin Cancer Res* 2016; 22:2675-83.

Denkert C, von Minckwitz G, Tesch H, Hansmann M, Reinisch M, Engels K, Sinn B, Fasching P, Mehta K, Solbach C, Brase J, Darb-Esfahani S, Kronenwett R, Prinzler J, Loibl S, Huober J, Untch M. HER2 and ESR1 mRNA expression levels and response to neoadjuvant trastuzumab plus chemotherapy in patients with primary breast cancer. *Breast Cancer Res* 2013; 15:R11.

von Minckwitz G, Untch M, Diebold K, Tiemann K, Hoffmann G, Henschen S, Schrader I, Hanusch C, Clemens M, Just M, Dietrich K, Eidtmann H, Holms F, Solbach C, Tesch H, Huober J, Loibl S, Darb-Esfahani S, Denkert C. Responsiveness of adjacent ductal carcinoma in situ and changes in HER2 status after neoadjuvant chemotherapy/trastuzumab treatment in early breast cancer-results from the GeparQuattro study (GBG 40). *Breast Cancer Res Treat* 2011

von Minckwitz G, Zahm D, Khandan F, Hoffmann G, Gerber B, Eidtmann H, Fend F, Dietel M, Mehta K, du Bois A, Blohmer J, Müller B, Loibl S, Budczies J, Hanusch C, Darb-Esfahani S, Hilfrich J, Weiss E, Huober J, Denkert C. Cytoplasmic poly(adenosine diphosphate-ribose) polymerase expression is predictive and prognostic in patients with breast cancer treated with neoadjuvant chemotherapy. *J Clin Oncol* 2011; 29:2150-7.

Huober J, Mehta K, Darb-Esfahani S, Högel B, Thomssen C, Hauschild M, Khandan F, Belau A, Zahm D, Weiss E, Tesch H, Denkert C, von Minckwitz G, Loibl S. Effect of neoadjuvant anthracycline-taxane-based chemotherapy in different biological breast cancer phenotypes: overall results from the GeparTrio study. *Breast Cancer Res Treat* 2010; 124:133-40.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)