



Reto Schumacher

Contact

Reto Schumacher

Publications (8)

Bracci L, Belardelli F, Proietti E, Iezzi G, Zajac P, Groeper C, Rosenthal R, Adamina M, Provenzano M, Schumacher R, Spagnoli G. Efficient stimulation of T cell responses by human IFN-alpha-induced dendritic cells does not require Toll-like receptor triggering. *J Immunother* 2008; 31:466-74.

Adamina M, Heberer M, Zuber M, Oertli D, Frey D, Gueller U, Zajac P, Schumacher R, Rosenthal R, Weber W, Spagnoli G. Heterologous prime-boost immunotherapy of melanoma patients with Influenza virosomes, and recombinant Vaccinia virus encoding 5 melanoma epitopes and 3 co-stimulatory molecules. A multi-centre phase I/II open labeled clinical trial. *Contemp Clin Trials* 2007; 29:165-81.

Adamina M, Guller U, Bracci L, Heberer M, Spagnoli G, Schumacher R. Clinical applications of virosomes in cancer immunotherapy. *Expert Opin Biol Ther* 2006; 6:1113-21.

Adamina M, Oertli D, Spagnoli G, Amacker M, Zurbriggen R, Feder C, Groeper C, Rosenthal R, Weber W, Zajac P, Schumacher R, Heberer M. Advanced liposomal vectors as cancer vaccines in melanoma immunotherapy. *J Liposome Res* 2006; 16:195-204.

Schumacher R, Amacker M, Neuhaus D, Rosenthal R, Groeper C, Heberer M, Spagnoli G, Zurbriggen R, Adamina M. Efficient induction of tumoricidal cytotoxic T lymphocytes by HLA-A0201 restricted, melanoma associated, L(27)Melan-A/MART-1(26-35) peptide encapsulated into virosomes in vitro. *Vaccine* 2005; 23:5572-82.

von Holzen U, Heberer M, Oertli D, Marti W, Schumacher R, Feder C, Reschner A, Groeper C, Zajac P, Weber W, Bolli M, Adamina M, Spagnoli G. Selective responsiveness to common gamma chain cytokines in peripheral blood-derived cytotoxic T lymphocytes induced by Melan-A/MART-1(27-35) targeted active specific immunotherapy. *Int J Cancer* 2005; 115:248-55.

Schumacher R, Adamina M, Zurbriggen R, Bolli M, Padovan E, Zajac P, Heberer M, Spagnoli G. Influenza virosomes enhance class I restricted CTL induction through CD4+ T cell activation. *Vaccine* 2004; 22:714-23.

Oertli D, Heberer M, Harder F, Schumacher R, Adamina M, Padovan E, Kocher T, Noppen C, Zajac P, Marti W, Spagnoli G. Rapid induction of specific cytotoxic T lymphocytes against melanoma-associated antigens by a recombinant vaccinia virus vector expressing multiple immunodominant epitopes and costimulatory molecules in vivo. *Hum Gene Ther* 2002; 13:569-75.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch